


PCT/US96/12575




SUBSTITUTE SHEET (RULE 26)






**SUBSTITUTE SHEET (RULE 26)** 

PCT/US96/12575










FIG. 8A

282 310 302 290 72 296


294 304 288
78
292 76
298
286 314 280




**SUBSTITUTE SHEET (RULE 26)** 




SUBSTITUTE SHEET (RULE 26)




SUBSTITUTE SHEET (RULE 26)







**SUBSTITUTE SHEET (RULE 26)** 



**SUBSTITUTE SHEET (RULE 26)** 



**SUBSTITUTE SHEET (RULE 26)** 



**SUBSTITUTE SHEET (RULE 26)** 

	PDM PROPERTIES  MODEL	BAR CODE PROPERTIES HEIGHT 0.5" SHOW TEXT YES SOURCE ALIGNMENT LEFT TYPE FIXED SOURCE	
LABEL EDITOR OPTIONS	HORIZ LINE PROPERTIES  WIDTH  LENGTH  COLOR  ELASTIC  NO	VERTICAL LINE PROPERTIES WIDTH 2 LENGTH 10.0" COLOR RED TEXT FIELD PROPERTIES HEIGHT 2 WIDTH 10.0" COLOR BLACK ITALIC BOLD ALIGNMENT LEFT	-
	TEMPLATE PROPERTIES HEIGHT 3.0" WIDTH 10.0" BKGND COLOR WHITE	RECTANGLE PROPERTIES HEIGHT 3.0" WIDTH 10.0" INTERIOR COLOR WHITE CORNERS ROUND LINE WIDTH 2 LINE COLOR BLACK ELASTIC NO INVISIBLE NO MAX. STRETCH OFF DUPLICATE OFF	